



611 #99 WET-STICK Roof Cement Material Safety Data Sheet

NDA means No Data Available.

Identity (As Used on Label and List) No. 611 #99 WET-STICK Roof Cement	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	--

Section I	
Manufacturer's Name Address (Number, Street, City, State, and Zip Code) DeWitt Products Company 5860 Plumer Ave. Detroit, Michigan 48209	Emergency Telephone Number Telephone Number for Information (313) 554-0575 Telephone Number for Information (313) 554-0575 Date Prepared April 2007

Section II - Hazardous Ingredients/Identity Information					
Hazardous Components (Specific Chemical Identity; Common Name(s))	CAS#	OSHA PEL	ACGIH TLV	%Wt.	
Mineral Spirits	64742-48-9				
Isodecyloxy Propyl Amine Acetate	28701-67-9				
Fatty Amidl-Amine Acetate	68476-30-2 & 68956-26-3				
Petroleum Asphalt	8052-42-4				
Cellulose Fibers	65996-61-4				
This product contains no asbestos					

Degree Of Hazard:	Health 1	Flammability 2	Reactivity 0	Special Hazard 0
Scale: 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant				

Section III - Physical/Chemical Characteristics	
Boiling Point	Specific Gravity (H2O = 1)
NDA	NDA
Vapor Pressure (mm Hg.)	Melting Point
NDA	NDA
Vapor Density (AIR = 1)	Evaporation Rate (Butyl Acetate = 1)

NDA	NDA
Solubility in Water	
Insoluble	
Appearance and Odor	
A thick black paste that smells of petroleum.	

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
100° F+ TTC		NDA	NDA
Extinguishing Media	Any approved extinguisher for oil fires, CO2, Dry Powder, Water Fog.		
Special Fire Fighting Procedures	If entering a confined area, firefighters should use a NIOSGH approved self contained breathing apparatus.		
Unusual Fire and Explosion Hazards	None known. Do not heat material. Keep away from heat, open flame, etc. Keep lid on container when not in use.		

Section V - Reactivity Data

Stability	Unstable Stable	X	Conditions to Avoid
			None known
Incompatibility (Materials to Avoid)	Avoid contact with strong oxidizers.		
Hazardous Decomposition	Carbon Dioxide - Carbon Monoxide		
Hazardous	May Occur		Conditions to Avoid
Polymerization	May Not Occur	X	None known

Section VI - Health Hazard Data

Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	X	X	X
Health Hazards (Acute and Chronic)	Eyes: Irritation Breathing: Respiratory irritation, nausea, dizziness, headache, prolonged overexposure may cause kidney and/or liver damage. Ingestion: Stomach irritation, nausea and vomiting. Skin: Mild irritation, contact could cause dry scaly dermatitis.		
Carcinogenic:	NTP?	IARC Monographs?	OSHA Regulated?
No	NDA	NDA	NDA
Signs and Symptoms of Exposure	Eyes: Irritation	Skin: Rash	Inhalation: Dizziness, headache Ingestion: Nausea, vomiting
Medical Conditions Aggravated by Exposure	Eyes: Irritation, eye damage. Inhalation: Could cause damage to kidneys, lungs, liver. Skin: Rash Ingestion: Could cause internal organ damage. Seek help.		
Emergency and First Aid Procedures			

Eyes: Flush with water.

Skin: Wash area and apply lotion.

Inhalation: Remove to fresh air, may need artificial respiration or oxygen.

Ingestion: Do not induce vomiting, give plenty of fluids.

Seek medical help on all above problems.

Section VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled

Dike or contain spill with earth, dry sand etc. Pump liquids to containers. Soak up material with absorbent material. Scoop up mastics and return to container. Clean up contaminated absorbent and dike material, place in container for disposal.

Waste Disposal Method

Waste should be disposed of according to federal, state, and local regulations.

Precautions to be Taken in Handling and Storing

Store in a cool place away from excessive heat and open flame. Keep away from children. Keep lid on container.

Other Precautions

Use with adequate ventilation. Avoid prolonged breathing of vapors. Avoid prolonged skin contact. Do not swallow any material.

Section VIII - Control Measures

Respiratory Protection (Specify Type)

NIOSH approved cartridge respirator with organic vapor cartridge if other controls are not effective.

Ventilation	Local	None normally	Special NDA
	Exhaust	needed.	
	Mechanical (General)	NDA	

Protective Gloves

Rubberized cotton if needed.

Eye Protection

Chemical goggles if spraying or splashing occurs.

Other Protective Clothing or Equipment

A protective apron if splashing or repeated contact is likely to occur.

Work/Hygienic Practices

Keep area clean and free of hazardous material.