

## **154 PRO Primer Roof Primer**

Revision date: 03/01/2015

### Section 1 - Identification

Product Name as used on Label: Chemical Family: Recommended Use:

Manufacturer/Supplier:

PRO Primer Petroleum Hydrocarbon Primer for use on concrete and asphalt.

DeWitt Products Company 5860 Plumer Street Detroit, Michigan 48209

Telephone: (800) 962-8599 Telephone: (313) 554-0575 Fax: (313) 554-2171 Emergency Telephone: 800-962-8599

#### SDS Prepared By:

## DeWitt Products Company

### Section 2 - Hazard(s) Identification

HMIS:	
HEALTH	1
FLAMABILITY	2
REACTIVITY	0

### HAZARD STATEMENT

DANGER Causes skin/eye irritation Harmful if inhaled May be fatal if ingested and enters airway. Combustible - Flammable liquid



This product may cause respiratory, eye and skin irritation. Wear appropriate personal protective equipment. Only use in well ventilated areas. Use mechanical ventilation to control vapors in confined areas. Avoid direct contact and breathing vapors.

No other known hazards otherwise classified.

### Section 3 - Composition/Information on Ingredients

Substances	CAS Number	Percent
Mineral Spirits	64742-48-9	20-80%
Petroleum Asphalt	8052-42-4	20-80 %

### Section 4 - First-Aid Measures

Inhalation:	Move affected person(s) to fresh air. If not breathing, breathing is difficult, or if no heartbeat, trained personnel should give artificial respiration and cardiopulmonary resuscitation (CPR) and/or administer oxygen as needed. Immediately call a physician.
Eyes:	Check for and remove any contact lenses. Flush eyes with large amounts of luke warm water for at least 15 minutes. Do not rub or scratch eyes. If symptoms or irritation occur, call a physician.
Ingestion:	If swallowed DO NOT induce vomiting and DO NOT give liquids. Rinse mouth with water to remove material from throat. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into the lungs. Immediately call a physician and seek medical attention.
Skin:	Wash with soap and large amounts of luke warm water. Remove and isolate contaminated shoes and clothing. Wash clothing and clean shoes thoroughly before reuse. If symptoms or irritation occur, call a physician.

## 154 PRO Primer

Section 5 - Fire-Fighting Measur	res	
Fire Extinguishing Media:	Class B extinguisher for oil fires, CO <sub>2</sub> , Dry Powder, Water Fog.	
Special Exposure Hazards:	Carbon Monoxide, Carbon Dioxide, Sulfur Byproducts upon combustion.	
Advice for Firefighters:	Firefighting may result in potential exposure to high heat, smoke or toxic byproducts of combustion. A self-contained breathing apparatus (SCBA) with full-face piece and full protective firefighting clothing should be worn.	
Section 6 - Accidental Release N	<b>Neasures</b>	
Personal Precautionary Measures:	Use personal protective equipment.	
Environmental Precautions:	Dike or contain spill with earth, dry sand, etc.	
Procedures for Containment/Cleanup:	Pick up large pieces. Avoid contact with skin and eyes. If using dry clean-up procedures (i.e. dry sand), avoid creating dusts during clean up. Wear protective clothing, gloves, safety glasses and a dust respirator. If using liquid cleaners (i.e. mineral spirits or Citrus Cleaner) pump waste liquid into waste containers, soak up remaining material with absorbent material. Clean contaminated area thoroughly after product recovery, wash the spill area and prevent runoff into drains. Waste should be disposed of in accordance with State, Local, and Federal Regulations.	
Section 7 - Handling and Storag	e	
Handling Precautions:	Use adequate ventilation. Avoid prolonged breathing of vapors. Avoid prolonged skin contact. Do not swallow any material. Do not use near open flame, sources of heat, or ignition.	
Storage Information:	Store in a cool place away from excessive heat and open flame. Keep away from children Keep lid on container when not in use. Avoid contact with strong oxidizers. Keep area clean and free of hazardous material.	

## Section 8 - Exposure Controls/Personal Protection

For outdoor use only, use in well ventilated area.
NIOSH approved cartridge respirator with organic vapor cartridge if other controls are not effective.
Rubberized cotton, if needed
Chemical goggles, if spraying or splashing occurs.
A protective apron if splashing or repeated contacted is likely to occur.
Wash hands before eating, drinking, or smoking. Promptly remove contaminated clothing and launder before reuse. DeWitt Products

## 154 PRO Primer

## **Section 9 - Physical and Chemical Properties**

Appearance:	Black Liquid	
Physical State (solid/liquid/gas):	Liquid	
Substance Type (pure/mixture):	Mixture	
Color:	Black	
Molecular Weight:	Not determined	
Vapor Pressure:	No Data Available	
Odor:	Smells of petroleum	
Vapor Density:	No Data Available	
pH:	Not Applicable	
Relative Density:	7.5lb/gal	
Melting Point:	No Data Available	
Solubility in Water:	Insoluble in water	
Initial Boiling Point:	No Data Available	
Boiling Range:	No Data Available	
Flash Point:	104°F	
Evaporation Rate:	No Data Available	
Flammability (solid, gas):	Combustible	

## Section 10 - Stability and Reactivity

Reactivity: Chemical Stability:	The product is stable if stored and handled as prescribed.
Conditions to Avoid:	Sources of heat or ignition.
Polymerization:	Will not occur under normal process and handling conditions.
Incompatible Materials:	Avoid contact with strong oxidizers.
Hazardous Decomposition Products:	Carbon Dioxide - Carbon Monoxide, Hydrogen Sulfide, Ozone and other compounds.

### Section 11 - Toxicological Information

Primary Route of Exposure:	Eye or skin contact, ingestion, inhalation.
Eye Contact:	May cause eye irritation.
Skin Contact:	May cause mechanical skin irritation.
Ingestion:	May cause nausea and/or vomiting.
Inhalation:	May cause dizziness and/or headache.
Chronic Effects:	
Eye Contact:	Irritation, eye damage.
Ingestion:	Could cause internal organ damage. Seek help.
Inhalation:	Could cause damage to kidneys, lungs, liver.

## Section 12 - Ecological Information

Toxicity: Eco-toxicity Effects: Additional Information:	No information is available. None recognized		
Section 13 - Disposal Considerations			

Waste Disposal of Substance:	Dispose in accordance to Federal, State, and Local regulations. Use fuel blending or recycling
	facility, if material is unused.
Container Disposal:	Empty containers or liners may retain product residues. Recommend crushing,
	puncturing or other means to prevent unauthorized use of containers.

## 154 PRO Primer

### Section 14 - Transport Information

This product is not a reportable quantity product regulated by the U.S. Department of Transportation (DOT). **Proper Shipping Name:** Tars, Liquid **UN/Identification Number:** UN1999 Hazard Class: 3, Flammable **Packing Group:** PGIII DOT Reportable Quantity (lbs):

**NFPA Rating:** 

Health: 1; Flammability: 2; Instability/Reactivity: 0

N/A

### Section 15 - Regulatory Information

US Federal Regulatory Information:	
OSHA Hazard Communication Standard:	This product has been evaluated and determined to be hazardous as defined in the OSHA Hazard Communication Standard. US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA Chemical Inventory.
CERCLA/SARA 302:	None
CERCLA/SARA 304:	None
CERCLA/SARA 313:	None
SARA 311/312 HAZARD CATAGORIES:	
ACUTE:	Health Hazard
CHRONIC:	Health Hazard
FIRE:	Combustible
REACTIVE:	No
SUDDEN RELEASE:	No
California Proposition 65:	This product does not contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.
Note: User must consult with applic	able state and local agencies for special specifics,

determinations or compliance obligations regarding this product.

### Section 16 - Other Information

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty, or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is the user's responsibility to be satisfied as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.