

## 952, 955, 956, 957 Thru Wall Flashing Membrane Material Safety Data Sheet

N/A means Not Applicable NDA means No Data Available

Identity (As Used on Label and List)	Note: Blank spaces are not permitted. If any item is				
No. 952, 955, 956, 957 Thru Wall Flashing Membrane		not applicable, or no information is available, the space must be marked to indicate that.			
Manufactured For:	Telephone Number for Information				
Address (Number, Street, City, State and Zip Code)		313-554-0575			
DeWitt Products Company 5860 Plumer Avenue		800-962-8599 Emergency Telephone Number 800-998-4634			
		Date Prepared February 2012			
Hazardous Component	CAS#	OSHA-PEL	ACGIH TLV		%Wt.
Petroleum Asphalt	8052-42-4		5.0 mg/m	5-15g/Kg	
Petroleum Oil	64741-88-4		0.2000TWA		
Section III - Physical/Chemical	Characteristics				
Boiling Point		Specific Gravity (H <sub>2</sub> 0=1)			
N/A		1.2			
Vapor Pressure (mm Hg)		Melting Point			
N/A		>200° F			
Vapor Density (Air=1)		Evaporation Rate (Bu AC=1)			
N/A		N/A			
Solubility in Water		Appearance and Odor			
Insoluble		Black Solid with Slight Petroleum Odor			
Section IV - Fire and Explosion	Data				
Flash Point (Method)		Upper Explosion Limits			
>410°F (T.O.C)		Not Determined			
Sensitivity to Static Discharge		Lower Explosion Limits			
Not Determined		Not Determined			
Extinguishing Media					
Standard Fire Extinguisher V	Vater Spray Regular	Foam, Dry Chem	ical or Carbon Dioxid	е	
Special Fire Fighting Procedures			C C 1		
The use of self-contained br	eathing apparatus is	recommended for	r tiretighters.		
Unusual Fire and Explosion Hazards					
None known		Harden Marie 4	Dan ditians		
Flammability		Under What Conditions Direct Flame			
Will Support Combustion		Direct FI	ame		

Section V - Reactivity Data

Stability Conditions to Avoid

Stable N/A

Incompatibility

N/A

**Hazardous Decomposition/Combustion Products** 

Carbon Monoxide, Carbon Dioxide, Oxides of Nitrogen and Sulfur

Hazardous Polymerization Conditions to Avoid

Will Not Occur N/A

**Section VI - Health Hazard Data** 

Primary Routes of Entry Inhalation Skin Ingestion XX XX

**Effects of Overexposure (Acute and Chronic)** 

**Skin:** Avoid contact with skin. Excessive exposure may cause irritation to eyes, nose throat and skin. Prolonged

and repeated skin contact may cause skin irritation.

Ingestion: Slightly toxic

**Emergency and First Aid Procedures** 

Inhalation: N/A

**Skin:** Wash thoroughly with soap and water. If redness or irritation develops, obtain medical assistance.

**Eyes:** Flush with water at least 15 minutes. Obtain medical assistance.

Ingestion: Drink liquids. Obtain medical assistance.

**Medical Conditions Aggravated by Exposure** 

Disorders of Diseases of the Skin, Eye, Respiratory Track or Allergies

Carcinogenicity NTP IARC Monographs OSHA Regulated

No No

IrritantSensitizerMutagenicTeratogenicYesYesNoNo

Section VII - Precautions for Safe Handling and Use

Leak and Spill Procedures:

Follow Federal, State and Local Regulations Not a RCRA Hazardous Waste

**Waste Disposal Method** 

Dispose in a licensed waste disposal facility in accordance with all applicable federal, state and local laws, codes and regulations.

Precautions to be Taken in Handling and Storage

Do not ingest. Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash thoroughly after handling, especially prior to eating or smoking. Lauder soiled clothes.

Other Precautions

Keep Out of Reach of Children

Section VIII - Exposure Control

Respiratory Protection N/A Ventilation N/A

Eye Protection: N/A Other Protective Clothing or Equipment N/A

Protective Gloves: Yes. Polyvinyl chloride (PVC), neoprene, nitrile, polyvinyl alcohol (PVA) or

Viton gloves have been found to be effective.

**Hygienic Practices:** Wash thoroughly after handling, especially prior to eating or smoking. Wash clothing

before reuse.

Section IX - Regulatory Information
Reportable Quantity: N/A

RCRA Hazardous Waste No: Not a RCRA Hazardous Waste Proper Shipping Name: Asphaltic Roofing Material

DOT Hazard Class: Not Required Not Required Identification Number:

Volatile Organic Content: N/A

Label Requirements: Not Required