

# **550 Siding Cleaner**

Revision date: 03/01/2015

### Section 1 - Identification

Product Name as used on Label:550 Siding CleanerRecommended Use:General purpose cleaner

**Restrictions on use:** For industrial and commercial use only.

Manufacturer/Supplier: DeWitt Products Company

5860 Plumer Street Detroit, Michigan 48209

Telephone: (800) 962-8599 Telephone: (313) 554-0575 Fax: (313) 554-2171

Emergency Telephone: 800-962-8599

SDS Prepared By: DeWitt Products Company

### Section 2 - Hazard(s) Identification

### HMIS:

HEALTH	0
FIRE	0
REACTIVITY	0

### HAZARD STATEMENT

WARNING

Causes skin irritation

Harmful if swallowed

Causes severe eye irritation

Do not taste or swallow. Do not eat, drink or smoke when using this product.

Avoid direct contact. See Section 6 for more information.

Wear safety goggles and gloves when working with material.

No other known hazards otherwise classified.

### Section 3 - Composition/Information on Ingredients

Substances	CAS Number	Percent
Sodium xylene sulfonate	1300-72-7	7-13%
Alcohols, C9-11, ethoxyated	68439-46-3	5-10%
Sodium meta-silicate	13517-24-3	1-5%

The specific chemical identity and/or exact percentage has been withheld as a proprietary trade secret.

### **Section 4 - First-Aid Measures**

Harmful if swallowed. May be harmful if absorbed through the skin. Irritation to skin and eyes. Irritation if inhaled. Prolonged or repeated exposure can cause drying, defatting, and dermatitis of skin. Absorption through skin contact may be hazardous.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Se

medical attention if irritation occurs.

Eyes: Check for and remove any contact lenses. Flush eyes with large amounts of luke warm water for at lea

Do not rub or scratch eyes. If symptoms or irritation occur, call a physician.

### 550 Siding Cleaner

**Ingestion:** If swallowed drink plenty of water or milk immediately. DO NOT induce vomiting. Rinse mouth with w

remove material from throat. If vomiting occurs spontaneously, keep head below hips to prevent aspira

of liquid into the lungs. Immediately call a physician and seek medical attention.

Skin: Wash with soap and large amounts of tepid water (not to exceed 90°F). Remove and isolate contamina

clothing. Wash clothing and clean shoes thoroughly before reuse. If symptoms of irritation occur, call

### SEEK MEDICAL HELP ON ALL ABOVE PROBLEMS.

### **Section 5 - Fire-Fighting Measures**

Fire Extinguishing Media: Class B extinguisher for oil fires, CO<sub>2</sub>, Dry Powder, Foam, Alcohol Resistant Foam, Water

Unsuitable Extinguishing Media: Water spray may be inefficient.

Special Exposure Hazards: None Known.

Specific Hazards: Keep away from heat, sparks, and flame. Guard against spontaneous combustion of imp

discarded oily rags. Take precautionary measures against static discharge.

Advice for Firefighters: A self-contained breathing apparatus (SCBA) with full-face piece and full protective firefighters:

clothing should be worn. Smother to exclude air. Do not use water. Handle as an oil fire

Class B fire procedures.

### **Section 6 - Accidental Release Measures**

Personal Precautionary Measures: Remove all sources of ignition. Evacuate personnel to safe areas. Ensure a

ventilation, especially in confined areas. Use personal protective equipmed Keep people away from up wind of spill/leak. Pay attention to flashback.

precautionary measures against static discharge.

Environmental Precautions: If safe prevent further leakage/spillage. Dike/contain spill with earth, dry s

Prevent product from entering drains. Do not flush into surface water or s

**Procedures for Containment/Cleanup:**Avoid contact with skin and eyes. If using dry clean-up procedures (i.e. dry creating dusts during clean up. Wear protective clothing, gloves, safety gla

creating dusts during clean up. Wear protective clothing, gloves, safety gla respirator. pump waste liquid into waste containers, soak up remaining m absorbent material. Clean contaminated area thoroughly after product recepill area and prevent runoff into drains. Waste should be disposed of in a

State, Local, and Federal Regulations.

### Section 7 - Handling and Storage

Handling Precautions: Ensure adequate ventilation. Avoid direct contact, avoid breathing vapors or mist and av

or repeated contact with skin. Wash with soap and water. Remove contaminated clothindrink, or smoke when handling this product. Wear protective gloves/clothing and eye/fa

Guard against spontaneous combustion of improperly discarded oily rags.

**Storage Information:** Store in a cool, well ventilated place away from heat/sparks/open flames/hot surfaces. It

freezing. Keep away from children. Keep unused container tightly closed and in an uprig

**Incompatible Materials:** Strong oxidizing agents. Acidic agents.

### Section 8 - Exposure Controls/Personal Protection

**Exposure Limits/Engineering Controls:** 

Ventilation - Local Exhaust: Good ventilation (local exhaust) should be sufficient. Eyewash stations. Sh

**Personal Protective Equipment:** 

**Respiratory Protection:** Not required under normal process conditions. If vapor concentration bec

use NIOSH approved respirators.

**Protective Gloves:** Chemical resistant gloves.

**Eye Protection:** Chemical goggles, if spraying or splashing occurs.

Other Protective Clothing: Oil resistant gloves and apron.

**Hygiene measures:** Wash hands before eating, drinking, or smoking. Promptly remove contain

and launder before reuse.

### **550 Siding Cleaner**

**Section 9 - Physical and Chemical Properties** 

Appearance: Clear Blue
Physical State (solid/liquid/gas): Liquid
Color: Yellow

Color: Yellow
Upper Flammability: (@ 302°

(@ 302°F) 6.1% Lower Flammability: (@ 302°F) 0.7% **Upper/Lower Explosive Limits:** Not Determined **Vapor Pressure:** Not Determined Odor: **Detergent Smell** Vapor Density: Not Determined **Melting Point:** Not Determined **Freezing Point:** Not Determined **Solubility in Water:** Insoluble in Water

Solubility in Other solvents: Insoluble

pH: Not an aqueous solution

Flash Point: 116° F (47°C)

Evaporation Rate: 1
Specific Gravity (H<sub>2</sub>O = 1): 0.912

### Section 10 - Stability and Reactivity

Reactivity:

**Chemical Stability:** Stable under recommended storage conditions.

**Conditions to Avoid:** Excessive heat, sparks and flames. Incompatible Materials.

**Polymerization:** Polymerization catalysts such as aluminum chloride and acidic clays.

Incompatible Materials: Strong oxidizing agents. Acidic agents.

Hazardous Decomposition Products: Smoke may be acrid and fumes irritating.

### **Section 11 - Toxicological Information**

**Primary Route of Exposure:** Eye or skin contact, ingestion.

**Eve Contact:** Causes severe eye irritation.

**Skin Contact:** Causes skin irritation. May be harmful in contact with skin.

**Ingestion:** Do not taste or swallow. Harmful if swallowed.

**Inhalation:** Avoid breathing vapors or mist.

**Chronic Effects:** 

**Eye Contact:** Causes severe eye irritation. **Skin Contact:** Causes skin irritation.

Carcinogenicity: For D-Limonene component: Overall evaluation downgraded to Group 3 with supporting

evidence from other relevant data.

### **Section 12 - Ecological Information**

**Toxicity:** Toxic to aquatic life.

**Eco toxicity Effects:** Toxic to aquatic life with long lasting effects.

### **Section 13 - Disposal Considerations**

Waste Disposal of Substance: Dispose in accordance to Federal, State, and Local regulations.

Container Disposal: Empty containers or liners may retain product residues. Recommend crushing, puncturir

means to prevent unauthorized use of containers.

### **Section 14 - Transport Information**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Packaging under 55 Gallons do not require label/placard for US Ground Transportation, Exemption §CFR 173.150 applies.

Proper Shipping Name: Terpene Hydrocarbons, N.O.S. NFPA Rating:

UN/Identification Number: UN2319
Hazard Class: 3, combustible

Packing Group:



### **550 Siding Cleaner**

### **Section 15 - Regulatory Information**

### **US Federal Regulatory Information:**

SARA 313 The following chemical(s) are subject to reporting levels established by SASA Title III, Section 313:

Chemical Name	CAS No	Weight-%	SARA 313-Threshold Values %
2-Butoxyethanol	111-76-2	<25	1.0

### **US State Regulatory Information:**

### **US State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol	v	v	v
111-76-2	^	^	^

**Note:** User must consult with applicable state and local agencies for special specifics, determinations or compliance obligations regarding this product.

### **Section 16 - Other Information**

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief accurate and reliable as of the date compiled. However, no representation, warranty, or guarantee, expressed or implied, is made as to its accuracy, reliability, or completeness. It is t user's responsibility to be satisfied as to the suitability and completeness of such information for his particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Nothing herein shall be construed as a recommendation for uses which infringe valid patents or as extending a license of valid patents.

**550 Siding Cleaner** 



ek

st 15 minutes.

# **550 Siding Cleaner**

ater to ation
ated shoes and a physician.
Fog.
roperly
şhting ÷,
adequate nt as required. Take
and, etc. anitary sewers.
rsand), avoid isses and a dust iaterial with covery, wash the ccordance with
roid prolonged ng. Do not eat, ce protection.
(eep from ht position.
nowers.
omes high,
ninated clothing

	_	er	
	-		
	_		
	_		
	<u>-</u>		
	_		
	-		
	-		



# Safety Data Sheet 550 Siding Cleaner \_\_\_\_\_\_

the

n