



159

PRO ROOFING PRIMER

PRODUCT DESCRIPTION:

DEWITT'S PRO ROOFING PRIMER is a super fast drying primer (15-30 min.) that is solvent based.



USES:

DEWITT'S PRO ROOFING PRIMER is used to prime metal, wood, concrete, hot or cold applied coatings, cements, and self-adhesive roll goods. Primes most surfaces where good adhesion is needed before top coat.

APPLICATION:

Surfaces must be free from dirt, dust, debris, and grease. Protect areas not to be sprayed. Shake can for at least one minute after rattle of agitator ball is heard, and shake intermittently during use. Hold can 10 inches from surface to be coated, and press spray head firmly, keeping can in motion. For best results, temperature of can and surface should be 70°F (21°C). Two light coats are better than one heavy coat. Second coat of primer may be applied at any time. Top coat should be applied within 24 hours of primer coat. After spraying, prepare can for storage by turning upside down and spraying for 2-3 seconds to clear paint in valve. If necessary, spray head can be cleaned by removing it with a twisting motion and cleaning slot with a fine wire. Replace spray head in valve carefully.

COVERAGE:

68 sq. ft. at 1/2 mil.

PACKAGING:

12.5oz (335 grams) spray can

CAUTION:

EXTREMELY FLAMMABLE. Keep spray away from heat, spark, or open flame. **CONTENTS UNDER PRESSURE.** Do not puncture can, contents will discharge. Avoid prolonged exposure to sunlight or heat which may cause bursting. Do not burn, incinerate, or store above 120°F. **HARMFUL VAPORS.** Avoid continuous breathing of vapors and mist. Use with adequate ventilation. If you experience eye watering, headaches, nausea, or dizziness increase fresh air flow and/or wear respiratory protection (NIOSH/MSHA TC23C or equivalent). **HARMFUL OR FATAL IF SWALLOWED.** If swallowed, do not induce vomiting. Call physician immediately. **AVIOD CONTACT WITH SKIN AND EYES.**

FIRST AID: If eye contact occurs, flush eyes with plenty of water for 15 minutes. For skin contact, wash thoroughly with soap and water. In either case, if irritation persists, see physician immediately. **NOTICE.** Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. **KEEP AWAY FROM CHILDREN.**